

- Aktinson, B. et Mavituna, F. (1991). *Upstream processing*. In: Biochemical engineering and biotechnology. Stockton, New York. pp: 525.
- Ahmad, F., Jameel, A.T., Kamarudin, M.H. et Maizirwan Mel. (2011). Study of growth kinetic and modeling of ethanol production by *Saccharomyces cerevisiae*. *Afr J Biotechnol.* 16 (81): 18842-18846.
- Alexander, M.A. et Jeffries, T.W. (1990). Respiratory effeciency and metabolite partitioning as regulatory phenomena in Yeast. *Enzyme Microbial technol.* 12: 2-18.
- Allen, N.H. et Ahearn, D.G. (1987). *Ecology of Aquatic In:* Rose A.H., Harrison J.S. (edn), the yeast, V1, Biology of yeast. (2nd edn) Academic Press. London. p: 123- 174.
- Anonyme, 1. (2006). Renouvelable énergie. Source :http://www.edf.com/html/ecoole_energie/impressions/PDF_jeux/jeux/PDFimprimer/EDE_renouvelable.
- Anonyme, 2. (2012). Rapport mondial sur les énergies renouvelables. Source :http://ren21.net/Portals/0/documents/activities/gsr/KeyFindings_fra_02a.
- Anonyme, 3. (2003). Sahara. Géographie du Sahara. Source : <http://membre.lycos.Fr/fgeo2.html>.
- Arand, M. *et al.* (2002). Purification, characterization, gene cloning and preliminary X-ray data of the exo-inulinase from *Aspergillus awamori*. *Biochem J.* 362: 131–135.
- Attar, A. (2013). Energie renouvelables et non renouvelables source:http://www.petrochem2000.com/data/docs/ressources/dossiers_articles/doc_54.pdf.
- Augustin, J. C. (1996). Resistance of *Listeria monocytogenes* to physical exposure *Pathol Biology.* 44-9: 790-807.
- Bååthe, E. et Söderström, B.E. (1980). Comparisons of the agar-film and membrane filter methods for the estimation of the hyphal lengths in soil, with particular reference to the effect of magnification. *Soil Biol Biochem.* 12: 385-387.
- Bajpai, R. et margaritis, S. (1982). A Ethanol Inhibition Kinetics of *Kluyveromyces marxianus* Grown on Artichoke Juice. *Appl envirol Microbiol.* 1: 1325-1329.
- Barchmann, H.J., Besaih, M., Brincat, L., Sergio, P. F. S. (2012). Le potentiel de la biomasse dans les pays méditerranéens. Source : http://www.paufm.org/assembly/Docs/recommendations/Rabat2012/ENERGY_FR.
- Barford, J.P. (1990). A general model for aerobic yeast growth: Batch Growth. *Biotechnol Bioenerg.* 35: 907-920.
- Barnett, J.A. (1976). The utilization of sugars by yeasts. *Advan Carb Chem Biochemistry.* 32:125-234.
- Beal, C., Deschamps, N., Juillard, V., Roissart, H., Richard, J. et Saraux, B. (1994). Cinétiques de croissance et d'acidification des bactéries lactiques. Dans : *Bactéries lactiques. Aspects fondamentaux et technologiques.* Lorica (Ed) Uriage. 1: 367-401.

- Bedrani, S. (1995). Une stratégie pour le développement des parcours en zones arides et semi arides. Rapp. Techn. Algérie. Doc. Banque mondiale. Tann.
- Bento, A., Kanbur, R. et Leard, B. (2012). Super- Additionality: A Neglected Force in Markets for Carbon Offsets. Discussion Paper. CEPR.
- Beretta, E. et Takeuchi, Y. (1994). Global stability for *chemostat* equations with delayed nutrient recycling. *Nonlinear World*. 1: 191–206.
- Beretta, E., Bischi, G. et Solimano, F. (1990). Stability in *chemostat* equations with delayed nutrient recycling. *J Math Biol*. 28(1): 99–111.
- Bergkamp, R.J., Bootsman, T.C., Toschka, H.Y., Mooren, A.T., Kox, L., Verbakel, J.M., Geerse, R.H et Planta, R.J. (1993). Expression of an alpha-galactosidase gene under control of the homologous inulinase promoter in *Kluyveromyces marxianus*. *Appl Microbiol Biotechnol*. 40: 309–317.
- Bergter, F. et Knorre, W. A. (1972). Computer simulation van Wachstum und Produktbildung bei *Saccharomyces cerevisiae*. *Z Allg Mikrobiol*. 12:613–629.
- Bideaux, C. (2000). Modélisation stoechiométrique des productions microbiennes par descripteur métabolique au moyen du calcul formel. Validation sur le modèle *Kluyveromyces marxianus*. Thèse INSA Toulouse.
- Black, M. J., Whittaker, C., Hosseini, S. A., Diaz-Chavez, R., Woods, J. et Murphy, R. J. (2011). Life Cycle Assessment and sustainability methodologies for assessing industrial crops, processes and end products. *Indus Crops Products*. 34(2): 1332-1339.
- Blackwell, K., Singleton, J et Tobin, J. M. (1995). Metal cation uptake by yeast. *Appl Microbiol Biotechnol*. 43(4): 579-584.
- Blecker, C., Chevalier, J.P., Van Herck, J.C., Fougnies, C., Deroanne, C. et Paquot, M. (2001). Inulin: Its physicochemical properties and technological functionality. *Recent Res. Devel. Agricultural Food Chem*. pp: 126-131.
- Bo Zhao, A., Limin, I., Wanga, 1., Fengsong, L., Dongliang, B., Cuiqing, M., Yanhe Maa, Ping, X. (2010). Kinetics of D-lactic acid production by *Sporolactobacillus sp.* strain CAS Dusing repeated batch fermentation. *Biores Technol*. 101: 6499–6505.
- Botton, B. (1991). La physiologie des levures Ds : Larpent J.P., Biotechnologie des levures. Masson, Milan Barcelone Bonn. Paris. p : 97-127.
- Botton, B., Breton, A., Fever, M., Gauthier, S., Guy, P., Larpen, J.P., Reymond, P., Sanglier, J.J., Vayssier, Y. et Veau, P. (1990). *Moisissures utiles et nuisibles d'importance industrielle*. (2^{ème} édn). Masson. Collection Biotechnologies. p : 34-381.
- Bouix, M. et Leveau, J.Y. (1991). Les levures Ds : Bourgeois C.M., Leveau J.Y., *Techniques d'analyse et de contrôle dans les industries agroalimentaires*, (2^{ème} édn) Lavoisier-Tec &Doc, Paris. 3. p : 206-229.

- Bouzoura, M. et Toutain, G. (1970). Contribution à l'étude de la fertilité des sols en palmeraie marocaines et de la fertilisation des cultures, (edn) Associe. Alawania.
- Bryssin, I. et Toutain, G. (1970). *Etude des sols des palmeraie par la culture et le fumure*, (edn) Associe. Alawania.
- Buhot, D. (1973). Echantillonnage de sols .Conservation et préparation des échantillons. Problème statistique. *Ann Phytopathol*. 5 : 296- 298.
- Calvet, R. (2003). *Le sol : propriétés et fonctions*. (1^{ère}edn). Paris.
- Camacho-Ruiz, L., Perez-Guerra, N. et Roses, R.P. (2003). Factors affecting the growth of *Saccharomyces cerevisiae* in batch culture and in solid state fermentation. *Electron J Environ Agric Food Chem*. 2(5):531–542.
- Camille, D. (2007). *Microbiology pratique pour le laboratoire d'analyse ou de contrôle sanitaire*. Edition Lavoisier. p 128-129.
- Caylak, B. et Vardar, S.F.(1996). Comparison of different production processes for bioethanol. *Turk J Chem*. 22:351–359.
- Cereghino, J.L. et Cregg, J.M. (2000). Heterologous protein expression in the methylotrophic yeast *Pichia pastoris*. *FEMS microbiology reviews*. 24 (1): 45-66.
- Chi Z., Chi Z., Zhang T., Liu G. et Yue L. (2009). Inulinase-expressing microorganisms and applications of inulinases. *Appl Microbiol Biotechnol*. 82: 211-220.
- Chin-Hana, S. et Shang-Tian, Y. (1990). Kinetic and modelling of temperature effects on batch xanthan gum fermentation. *Biotechnol Bioeng*. 37: 567-574.
- Cho, Y.J. et Yun, J.W. (2002). Purification and characterization of endoinulinase from *Xanthomonas oryzae* No. 5. *Process Biochem*. 37: 1325–1331.
- Costa, A.C., Daniel, I.P., Maugeri, F. et Maciel, R. (2001). Factorial design and simulation for the optimisation and determination of control structures for an extractive alcoholic fermentation. *Process Biochem*. 37:125 - 137.
- Crabtree, H. G. (1929). Observations on the carbohydrate metabolism of tumours. *Biochem Journal* 23: 536-545.
- da Cruz, S.H., Batistote, M. et Ernandes, J.R. (2003). Effect of sugar catabolite repression in correlation with the structural complexity of the nitrogen source on yeast growth and fermentation. *J Inst Brew* .109 (4):349–355.
- Davet, P. (1996). *Vie microbienne du sol et production végétales*, (1^{ère} edn) INRA. Paris.
- de Mot R. et Verachtert, H. (1985). Purification and characterization of the extracellular amylolytic enzymes for the yeast *Filobasidium capsuligenum*. *Appl Microbiol* .50:1474–1482.
- Dechauffour, P. (1979). *Pédologie T1 et T2*, (edn) Masson. Paris. NI°. (B.U).
- Demirbas, A. (2008). Biofuels sources, biofuel policy, biofuel economy and global biofuel projections. *Energy Conver Manage*. 49(8): 2106-2116.

- Dien, B.S., Cotta, M.A. et Jeffries, T.W. (2003). Bacteria engineered for fuel ethanol production current status. *Appl Microbiol Biotechnol.* 63:258–266.
- Djebaili, S. et al. (1983). Carte de l'occupation des terres, carte pastorale de l'Algérie, notice. *Biocénoses.* 2:1-2. p132.
- Dombek, K. M. et Ingram, L. O. (1987). Ethanol Production during Batch Fermentation with *Saccharomyces cerevisiae*: Changes in Glycolytic Enzymes and Internal. *Appl Microbiol:* (1) 286-1291.
- Drapcho, C.M, Nhuan, N.P. et Walker, T.H. (2008). Biofuels Engineering *Process Technol.* USA: The McGraw-Hill Companies, Inc.
- Ebertova, H. (1966). Amylolytic enzymes of *Endomycopsis capsularis*. II. A study of properties of isolated α -amylase, amyloglucosidase and maltose trans glucosidase. *Folia Microbiol.* 11:422–438.
- Ergun, M. et Mutlu, S.F. (2000). Application of a statistical technique to the production of ethanol from sugar beet molasses by *Saccharomyces cerevisiae*. *Bioresour Technol*,73:251–255.
- Escobar, J. C., Lora E. S., Venturini, O. J., Yanez, E. E., Castillo, E. F. et Almazan, O. (2009). Biofuels: Environment, technology and food security. *Renew Sust Energy Reviews.* 13(6-7): 1275-1287.
- Esener, A., Roels, J.A. et Kossen, G.W.F. (1981). Fed-batch culture: modeling and application in the study of microbial energetics. *Biotechnol Bioenerg.* 27:1851-1871.
- Ettalibi, M. et Baratti J.C. (1987). Purification, properties and comparison of invertase, exoinulinases and endoinulinases of *Aspergillus ficuum*. *Appl Microbiol Biotechnol.* 26 :13 20.
- Farhi, A. (2002) Biskra : de l'oasis à la ville saharienne (Note). In: Méditerranée, Tome 99, 3 4-. Le sahara, cette «autre Méditerranée» (Fernand Braudel). pp. 77-82. doi : 10.3406/ medit. 2002.3264.
- Feria-Gervasio, D., Mouret, J.R., Gorret, N., Goma, G. et Guillouet, S. (2008) .Oleic acid delays and modulates the transition from respiratory to fermentative metabolism in *Saccharomyces cerevisiae* after exposure to glucose excess. *Appl Microbiol Biotechnol.* 78(2):319-331.
- Fiaux, J., Cakar, Z.P., Sonderegger, M., Wuthrich, K., Szyperski, T. et Sauer, U. (2003). Metabolic-Flux Profiling of the Yeasts *Saccharomyces cerevisiae* and *Pichia stipitis*. *Eukaryotic Cell.* 2(1):170-180.
- Fiechter, A. et Seghezzi, W. (1992). Regulation of glucose metabolism in growing yeast cells. *J Biotechnol.* 27: 27-45.
- Fillon, M. (1996). Développement d'une méthodologie pour la modélisation et la simulation des réacteurs discontinu, application à la fermentation brassicole. PhD Thésis, Institut National Polytechnique de Toulouse (France).

- Fleet, G.H. et Heard, G.M. (1993). Yeast: growth during fermentation. In: Fleet GM :ed *Wine Microbiology and Biotechnology*. Harwood Academic Publishers, Chur Switzerland. pp: 27 54.
- Freedman, H., SO, J. et Waltman, P. (1989). Coexistence in a model of competition in the *chemostat* incorporating discrete delays. *SIAM Journal Appl Math.* 49(3):859–870.
- Fujita, Y., Ito, J., Ueda, M. et Fukuda, H. (2003). Synergistic saccharification, and direct fermentation to ethanol, of amorphous cellulose by use of an engineered yeast strain codisplaying three types of cellulolytic enzyme. *Appl Environ Microbiol.* 70: 1207–1212.
- Ge, X.Y. et Zhang, W.G. (2005). Shortcut to the Production of High Ethanol Concentration from Jerusalem Artichoke Tubers. *Food Technol Biotechnol.* 43 (3) 241–246.
- Gervais, P. et Sarrette, M. (1990). Influence of age of mycelia and water activity on aroma production by *Trichoderma viride*. *J Ferment Bioeng* .69:46–50.
- Gervasio, F., Mouret, D., Gorret, J.R., Goma, N.G. et Guillouet, S. (2008). Oleic acid delays and modulates the transition from respiratory to fermentative metabolism in *Saccharomyces cerevisiae* after exposure to glucose excess. *Appl Microbiol Biotechnol.* 78(2):319-331.
- Ghasem, N., Habibollah, Y., Ku, S. et Ku, I. (2004). Ethanol fermentation in an immobilized cell reactor using *Saccharomyces cerevisiae*. *Bioresour Technol.* 92:251–260.
- Gong, C.S., Maun, C.M. et Tsao, G.T. (1981). Direct fermentation of cellulose to ethanol by a cellulolytic filamentous fungus *Monilia* sp. *Biotechnol Lett.* 3:77–82
- Guebel, D., cordonons, A., Nudel, C et Giulietti, A.M. (1989). Fermentation of D-xylose to ethanol by *Pichia sititipitis* NRRLy 7124. *International symp yeasts.* 5: 73- 77.
- Guimaraes, L.H.S., Terenzi, H.F., Polizeli, M.L. et Jorge, J.A. (2007). Production and characterizationof a thermostable extracellular β -D-fructofuranosidase produced by *Aspergillus ochraceus* with agroindustrial residues as carbonsources, *Enzyme Microbial Technol.* 42: 52-57.
- Guiraud, J.P. (1998). *Microbiologie alimentaire*. Dunod, Paris. p : 310-321.
- Guiraud, J.P. et Rosec, J.P. (2004). Pratique des normes en microbiologie alimentaire. AFNOR. p: 228-235.
- Gupta, A.K., Gill, A., et Kaur, N. (1998). A $HgCl_2$ insensitive and thermally stable inulinase from *Aspergillus oryzae* *Phytochemistry.* 49: 55–58.
- Gupta, A.K., Kaur, M., Kaur, N. et Singh, R. (1992). A comparison of properties of inulinases of *Fusarium oxysporum* immobilized on various supports. *J Chem Technol Biotechnol.* 53: 293–296.
- Hanne, H. (2012). Les marchés de production et de consommation et les prix des biocarburants dans l'Union européenne et le monde. Source :

http://www.economie.gouv.fr/files/directions_services/dgccrf/documentation/dgccrf_eco/dgccrf_eco9.pdf.

Hsu, T. (1996). *Pretreatment of biomass*. In: Wyman C (ed) Handbook on bioethanol: production and utilization. Taylor et Francis, Washington DC. pp: 179–212.

Ingram, L.O., Gomez, P.F., Lai, X., Moniruzzaman, M., Wood, B.E., Yomano, L.P. et York, S.W. (1998). Metabolic engineering of bacteria for ethanol production. *Biotechnol Bioeng*. 58 (2,3) :204–214.

Ito, K., Yoshida, K., Ishikawa, T et Kobayashi, S. (1990). Volatile compounds produced by fungus *Aspergillus oryzae* in rice koji and their changes during cultivation. *J Ferment Bioeng*. 70:169–172.

Jackson, J.V. et Edwards, V.H. (1975). Kinetics of substrate inhibition of exponential yeast growth. *Biotechnol Bioeng*. 17: 943–964.

Jang, S. (2000). Dynamics of variable-yield nutrient-phytoplankton-zooplankton models with nutrient recycling and self-shading. *J Math Biol*. 40(3): 229–250.

Jeffries, T.W. (2006). Engineering yeasts for xylose metabolism. *Curr Opin Biotechnol*. 17: 320-326.

Jiang, L. et MA. Z. (1998). Stability of a *chemostat* model for a single species with delayed nutrient recycling- case of weak kernel function Chinese. *Quart J Math*. 13(1): 64–69.

Jose, D. (1999). Recent developments in microbial inulinases, its production, properties and industrial applications. *Appl Biochem Biotechnol*. 81: 35–52.

Kane, Y. (1966). Numerical solution of initial boundary value problems involving Maxwell's equations in isotropic media . *IEEE Transactions on Antennas and Propagation*. 14 (3): 302–307.

Kang, S.I. et Kim, S.I. (1999). Molecular cloning and sequence analysis of an endo-inulinase gene from *Arthrobacter sp*. S37. *Biotechnol Lett*. 21: 569–574.

Kang, S.I., Chang, Y.J., Oh S.J. et Kim S.I. (1998). Purification and properties of an endo inulinasefrom an *Arthrobacter sp*. *Biotech Lett*. 20 (10): 983-986.

Kappeli, O. (1986). Regulation of carbon metabolism in *Saccharomyces cerevisiae* and related yeasts. *Advan. Microbial Physiol*. 28:181-209.

Kato, K., Araki, T., Kitamura, T., Morita, N., Moori, M. et Suzuki, Y. (1999). Purification and properties of a thermostable inulinase (β -D-fructan fructohydrolase) from *Bacillus stearothermophilus* KP1289. *Starch*. 51: 253–258.

Kattgere, T. et Andoren, O. (2001). The ICBM of analytically solved models of soil carbon, nitrogen and microbial biomass. *Ecol Model*. 130: 199-207.

Kelly, C.T., Moriarty, M.E. et Fogarty, W.M. (1985). Thermostable extracellular a-amylase and α -glucosidase of *Lipomyces starkeyi*. *Appl Microbiol Biotechnol*. 22:352–358.

- Kim, H.S., Lee, D.W., Ryu, E.J., Uhm, T.B., Yang, M.S., Kim, J.B. et Chae, K.S.(1999). Expression of the *INU2* gene for an endoinulinase of *Aspergillus ficuum* in *Saccharomyces cerevisiae*. *Biotechnol Lett.* 21: 621–623.
- Kim, M.K., Kim, Y.H., Kim, H.R., Kim, B.I., Byun, S.M. et Uhm, T.B . (1994). Thermal stability of an acidic inulinase from *Scytalidium acidophilum*. *Biotechnol Lett.* 16: 965–966.
- Kiran, S., Sikander, A et Lkram. H .(2003). Time course study for yeast invertase production by submerged fermentation. *J Biol Sci.* 3(11):984–988.
- Kochhar, A., Kaur, N. et Gupta, A.K. (1997). Inulinase from *Aspergillus versicolor*. A potent enzyme for producing fructose from inulin. *J Sci Ind Res.* 56: 721–726.
- Koga, N. (2008). An energy balance under a conventional crop rotation system in northern Japan: Perspectives on fuel ethanol production from sugar beet. *Agri Ecosy Environ.* 125(1 4): 101-110.
- Kreger -Van Rij, N.J. (1984).*The yeast, a Taxonomic Study*, Elsevier Biomedical.
- Kurtzman ,C.P., Fell, J.W. et Boekhout, T. (2011). *The yeast a taxonomic study* (5edn) Elsevier. London. pp: 622- 623.
- Kwon, H.J., Jeon, S.J., You, D.J., Kim, K.H., Jeong, Y.K., Kim, Y.H., Kim, Y.M. et Kim, B.W.(2003). Cloning and characterization of an exoinulinase from *Bacillus polymyxa*. *Biotechnol Lett.* 25:155–159.
- Larpent, J.P. et Larpent-Gourgaud, M. (1997). *Mémento technique de microbiologie*. (3^{ème}edn) édition, Lavoisier-Tec Doc. Paris. p : 217-240.
- Larpent, J.P. (1991). *Biotechnologie des levures*. Masson, Milan Barcelone Bonn. Paris. p: 97-127.
- Larpent, J.P. et Larpent-Gourgaud, M. (1997). *Mémento technique de microbiologie*. (3^e édn), Lavoisier-Tec et Doc, Paris. 8. p: 217-240.
- LeBerre, M. et Ramousse, R. (2001). *Les enjeux de la conservation de la biodiversité en milieu saharien*, (edn) Université Claud Bernard. Lion 1.
- LeCleche, B. (2000). *Agronomie des bases au nouvelle orientation*, (edn) ENITA de Bordeaux.
- Leclerc, H., Meyer, A. et Deiana, J. (1995). *Cours de microbiologie générale. Nouveau programme. Biosciences et Techniques*. doin éditeur, Paris. p : 73-92.
- Lee, J.M., Pollard, J.F. et Coulman, G.A. (1983). Ethanol fermentation with cell recycling: Computer simulation. *Biotechnol Bioeng.* 25: 497-511.
- Lei, F., Rotboll, M. et Jorgensen, S.B. (2001). A biochemically structured model for *Saccharomyces cerevisiae*. *J Biotechnol.* 88: 205- 221.

- Leticia, P., Miguel, C., Humberto, G. et Jaime, A.J. (1997). Fermentation parameters influencing higher alcohol production in the tequila process. *Biotechnol Lett.* 19(1):45–47.
- Levespiel, O. (1980). The Monod equation: a revisit and a generalization to product inhibition situations. *Biotechnol Bioeng.* 22:1671–1687.
- Lim, S.H.A.D., Ryu, J.M.B., Lee, H., Jeon, J.H., Sok, D.E. et Choi, E.S. (2011). Ethanol fermentation from Jerusalem artichoke powder using *Saccharomyces cerevisiae* KCCM50549 without pretreatment for inulin hydrolysis. *Bioresour Technol.* 102: 2109–2111.
- Lin, Y. et Tanaka, S. (2006). Ethanol fermentation from biomass resources: current state and prospects. *Appl Microbiol Biotechnol.* 69: 627–642.
- Lodder, L. (1971). *The yeasts, a taxonomie study*. North Holland Publishing Company, Amesterdam- London.
- Loegering, K., Christian, M., Jan-Patrick, V., Claudia, W., Daniel, Z., Hans-Peter, B., Ulrich, S. et Reiner, L. (2011). An integrated scale-down plant for optimal recombinant enzyme production by *Pichia pastoris*. *Biotechnol J.* 6 (4): 428-436.
- Looten, P., Blanchet, P.D. et Vandecasteele, J.P. (1987). The β -fructofuranosidase activities of a strain of *Clostridium acetobutylicum* grown on inulin. *Appl Microbiol Biotechnol.* 25: 419–425.
- Lu, Z. (2004). Global stability for a *chemostat*-type model with delayed nutrient recycling, Discrete and Continuous Dynamical Systems. Series.4(3):663–670.
- Luedeking, R. et Piret, E. L. (1959). A kinetic study of the lactic acid fermentation. *J Biochemical Microbiol Technol Engin.* 1: 393-412.
- Madigan, M.T., Matinko, J.M. et Parker, J. (1997). *Brook biology of microorganisms*, (8^{ème} edn). USA.
- Margat, G. (1985). *Hydrologie et ressource en eau des zones arides*. (8^{ème} edn), Bull.soc.Geol. France.
- Martin, C., Galbe, M., Wahlbom, C.F., Hahn-Hagerdal, B. et Jonsson, L.F. (2002). Ethanol production from enzymatic hydrolysates of sugarcane bagasse using recombinant xylose-utilizing *Saccharomyces cerevisiae*. *Enzyme Microb Technol.* 31: 274–282.
- Matthew, H., Ashley, O., Brian, K., Alisa, E. et Benjamin, J.S. (2005). Wine making 101. Available at <http://www.arches.uga.edu/> mathaas/ strains.htm.
- Maung, M. (1987). Contribution à l'étude de dégradation des pristinamycines en cours de culture de *Streptomyces pristinaespiralis* et des procédures minimisant ce processus. *Thèse de doctorat de l'Institut National des Sciences Appliquées*. Toulouse, France.
- Melvydas, V., Gedminiene,G., Jarmalaite, I., Capukoitiene, B. et Nemceva, L. (2006). Initial analysis of highly competitive yeast strains promising for ethanol industry. *Biol.* 3: 63-66.
- Michael, M. et John M. (2006). *Brook Biology of Microorganisms*, (11th edn). Prentice Hall

- Mihail, J.D. et Alcoren, S.M. (1987). *Marcophomina phaseolma* spatial patterns in cultivated and sampling strategies. *Phytopath.* 77: 1126-1131.
- Miller, G.L. (1959). Use of dinitrosalicylic acid reagent for determination of reducing sugar, *Anal Chem.* 31: 426-8.
- Miyamoto, K. (1997). Renewable biological systems for alternative sustainable energy production. <http://www.fao.org/docrep/w7241e/w7241e00.htm>.
- Mogg, R. (2004). Biofuels in Asia: Thailand relaunches gasohol for automotive use. *ReFocus.* 5(3): 44-47.
- Mohamed, M. et Hind M. (1998). Etudes des pluies annuelles et journalières dans les Sahara algérienne. *Cahier Sécheresse.* 9(3): 193-199.
- Monod, J. (1942). *Recherches sur la croissance des cultures bactériennes*. Hermann & Cie, Paris, France.
- Mons, L. (2005). Les enjeux de l'énergie. Larousse, France.
- Moriyama, S., Akimoto, H.N., Suetsugu, S., Kawasaki, T., Nakamura, T. et Ohta, K. (2002). Purification and properties of an extracellular exoinulinase from *Penicillium sp.* strain TN-88 and sequence analysis of the encoding gene. *Biosci Biotechnol Biochem.* 66: 1887-1896.
- Moser, F.A. (1983). Formal macro-approach to bioprocess modeling with analogies. *Acta Biotechnol.* 3:195-216.
- Mukherjee, K. et Sengupta, S. (1987). Purification and properties of a non-specific fructofuranosidase (inulinase) from the mushroom *Panaeolus papillonaceus* *Can J Microbiol.* 33: 520-524.
- Mulchandani, A. et Luong, J.H.T. (1989). Microbial inhibition kinetics revisited. *Enzy Microb. Technol.* 11: 175-176.
- Muzzolini, A. (2000). *The origin and development of Africa livestock*. Archaeology Ggenetics linguistics and Ethmography U.C.L.P. (edn) Blench R.M & Macdonalds K.C Press. London.
- Nagem, R.A.P., Rojas, A.L., Golubev, A.M., Korneeva, O.S., Enyaskaya, E.V., Kulinskaya, A.A., Neustroev, K.N. et Polikarpov, I. (2004). Crystal structure of exo-inulinase from *Aspergillus awamori*: the enzyme fold and structural determinants of substrate recognition. *J Mol Biol.* 344: 471-480.
- Nakamura, T., Ogata, Y., Hamada, S. et Ohta, K. (1996). Ethanol production from Jerusalem artichoke tubers by *Aspergillus niger* and *Saccharomyces cerevisiae*. *J Ferment Bioeng.* 81:564-566.
- Navarro, A.R., Sepulveda, M.C. et Rubio., M.C. (2000). Bio-concentration of vinasse from the alcoholic fermentation of sugar canemolasses. *Waste Manag.* 20:581-585.

- Neagu, C.B. et Bahrim, G. (2012). Comparative study of different methods of hydrolysis and fermentation for bioethanol obtaining from inulin and inulin rich feedstock. *Food Industry*. 13: 63 – 68.
- Neilsen, J. et Villadsen, J. (1994). *Bioreaction Engineering Principales*. New York : Plenum Press.
- Ohta, K., Akimoto, H., Matsuda, S., Toshimitsu, D. et Nakamura, T. (1998). Molecular cloning and sequence analysis of two endoinulinase genes from *Aspergillus niger*. *Biosci Biotechnol Biochem*. 62:1731–1738.
- Ohta, K., Beall, D.S., Mejia, J.P., Shanmugam, K.T. et Ingram, L.O., (1991). Genetic-improvement of Escherichia-Coli for ethanol-production chromosomal integration of Zymomonas-Mobilis genes encoding pyruvate decarboxylase and alcohol dehydrogenase-II. *Appl Environ Microbiol*. 57 : 893–900.
- Ohta, K., Hamada, S. et Nakamura, T. (1993). Production of high concentrations of ethanol from inulin by simultaneous saccharification and fermentation using *Aspergillus niger* and *Saccharomyces cerevisiae*. *Appl Envtl Microbiol*. 59: (3)729-733.
- Ongen-Baysal, G. et Sukan, S.S. (1996). Production of inulinase by mixed culture of *Aspergillus niger* and *Kluyveromyces marxianus*. *Biotechnol Lett*. 18: 1431–1434.
- Onodera, S., Murakami, T., Ito, H., Mori, H., Matsui, H., Honma, M., Chiba, S. et Shiomi, N. (1996). Molecular cloning and nucleotide sequences of c DNA and gene encoding endo inulinase from *Penicillium purpurogenum*. *Biosci Biotechnol Biochem*. 60: 1780–1785.
- Orthen, B. et Wehrmeyer, A. (2004). Dynamics of non-structural carbohydrates in bulbs and shoots of the geophytes. *Galanthus nivalis Physiol Plant*. 120 (4): 529-536.
- Oura, E. (1997). Reaction products of yeast fermentations. *Process Biochem*. 12: 19-21.
- Pandey, A., Soccol, C.R., Selvakumar, P., Soccol, V.T., Krieger, N. et Jose, D. (1999). Recent developments in microbial inulinases, its production, properties and industrial applications. *Appl Biochem Biotechnol*. 81: 35–52.
- Parekh, S.R. et Margaritis, A. (1986). Continuous hydrolysis of fructans in Jerusalem artichoke extracts using immobilized non- -viable cells of *Kluyveromyces marxianus*. *J Food Sci*. 51: 854–855.
- Pastore, G.M ., Park, Y.K., Min, D.B. (1994). Production of a fruity aroma by Neurospora from beiju. *Mycol Res*. 98: 25–35.
- Peringer, P., Blachere, H., Corrieu, G. et Lane, A.G. (1974). A generalized mathematical model for the growth kinetics of *Saccharomyces cerevisiae* with experimental determination of parameters. *Biotechnol Bioeng*. 16:431–454.
- Peuk, A.D. (2000). The chemical composition of xylon sapin Vitis vinifera L.cv. Riesling during vegetative growth on three different francian vineyard soils and as influenced by nitrogen fertilizer. *Am Enol Viticult*. 51: 329-339.

- Phaff, H.J. et Starmer, W.T. (1987). *Yeast associated with Plants, Insects and Soil In* : Rose A.H., Harrison J.S. (ed), The yeast, V1, Biology of yeast. (2ndedn) Acad Press. London. p: 123- 174.
- Piret, S. J. (1988). Reflection on the dynamics of growth and product formation in microbial cultures. Dans: *Horiz Bioch Eng.* (3): 155- 160.
- Postma E., Verduyn C., Scheffers A. et Van Dijken J. (1989). Enzymic analysis of Crabtree effect in glucose- limited chemostat cultures of *Saccharomyces cerevisiae*. *Appl Env Microbiol.* 55 : 468-477.
- Prescott, L. M., Harley, J. P., Klein, D. A., Claire, M ., Bacq, C. et Dusart, J. (2007). Microbiologie . (Edn). De Boeck p: 492.
- Rey, M.W. et al. (2004). Complete genome sequence of the industrial bacterium *Bacillus licheniformis* and comparisons with closely related *Bacillus species*. *Genome Biol.* 5: 77. 84
- Ritsema, T. et Smeekens, S. (2003). Fructans: beneficial for plants and humans. *Curr Opin Plant Biol.* 6: 223-230.
- Robyns, B. et Bastard, P. (2004). Production décentralisée d'électricité : contexte et enjeux techniques. Source : <http://www.Electricité energy revue 3 EI n°39>.
- Rodriguez-Zaragoza, S., Mayslish, E. et Steinberger, Y. (2005). Vertical Distribution the free living Amoeba Population in soil under desert Shrubs in the Ngev. *Appl Environ Microbiol.* 71(4): 2053-2060.
- Rosenberger, A., Kaul, H. P., Senn, T. et Aufhammer, W. (2000). Improving the energy balance of bioethanol production from winter cereals: The effect of crop production intensity. *Appl Energy* .68 (1): 51-67.
- Roukas, T. (1996). Ethanol production from non-sterilized beet molasses by free and immobilized *Saccharomyces cerevisiae* cells using fed-batch culture. *J Eng* .27:87–96.
- Ruan, S. (1993). Persistence and coexistence in zooplankton-phytoplankton-nutrient models with instantaneous nutrient recycling. *J Math Biol.* 31(6): 633–654.
- Ruan, S. et HE, X. (1998). Global stability in chemostat-type competition models with nutrient recycling. *J Appl Math.* 58: 170–192.
- Ruark, G.H. et Zarnoch, S.J. (1992). Soil carbon, nitrogen and fine root biomass sampling in a pine stand. *Soil Sc Soc Am J.* 56:1945-1950.
- Saadoun, I. et Momani, I. (1997). *Stryptoyces* from Jordan soil active against *Agrobacterium tumefaciens*. *Actinomycetes*. 8(12): 29-36.
- Saddler, J.N. et Chan, M.K.H. (1982). Optimization of Clostridium thermocellum growth on cellulose and pretreated wood substrates. *Eur J Appl Microbiol Biotechnol.* 16:99–104.
- Sanchez, O.J. et Cardona, C.A. (2008). Trends in biotechnological production of fuel ethanol from different feedstocks. *Bioresour Technol.* 99: 5270–5295.

- Sanchez, S., Bravo, V., Castro, E., Moya, A.J et Camacho, F. (1999). Comparative study of the fermentation of D-glucose/D-xylose mixtures with *Pachysolen tannophilus* and *Candida shehatae*. *Bioprocess Eng.* 21: 525–532.
- Schell, M.A., Karmirantzou, M., Snel, B., Vilanova, D., Berger, B., Pessi, G., Zwahlen, M.C., Desiere, F., Bork, P., Delley, M., Pridmore, R. et Arigoni, D. F. (2002). The genome sequence of *Bifidobacterium longum* reflects its adaptation to the human gastrointestinal tract. *Proc Natl Acad Sci USA*. 99: 14422–14427.
- Schnürer, J., Clarholm, M. et Rosswall, T. (1985). Microbial biomass and activity in a agricultural soil with different organic matter contents. *Soil Biol Biochem*. 17: 611- 618.
- Schugerl, K. (1985). Bioreaction engineering 1: Fundamentals, thermodynamics, formal kinetics, idealized reactor types and operation modes. Jonh Wiles and Sons.
- Sébastien, N., Ronkart, A., Christophe, S. et Micher, P. (2007). Isolation and identification of inulooligosaccharides resulting from inulin hydrolysis. *Analytica Chimica Acta*. 604:81–87.
- Shafaghat, H., Najafpour, G.D, Rezaei, P.S. et Sharifzadeh, M. (2009). Growth Kinetics and Ethanol Productivity of *Saccharomyces cerevisiae* PTCC 24860 on Various Carbon Sources. *World Appl Sci J* . 7(2): 140-144.
- Sharma A.D., Kainth, S. et Gill P.K. (2006). Inulinase production using garlic (*Allium sativum*) powder as a potential substrate in *Streptomyces* sp. *J Food Engin*.77: 486-491.
- Sharma, S.K. (2000). Saccharification and bioethanol production from sunflower stalks and hulls. *Afr J bioetech* (41): 122- 130.
- Sheng, J., Chi, Z., Yan, K., Wang, X., Gong, F. et Li, J. (2009). Use of response surface methodology for optimization of process parameters for high inulinase production by the marine yeast *Cryptococcus aureus* G7a in solid state fermentation and hydrolysis of inulin. *Bioprocess Biosyst Eng.* 32: 333–339.
- Shiomi, N. (1989). Properties of fructosyltransferases involved in the synthesis of fructan in Liliaceous plants. *J Plant Physiol*. 134: 151-155.
- Shiomi, N., Benkeblia, N., Onodera, S. et Kawazoe, N. (2006). Fructooligosaccharides changes during maturation in inflorescences and seeds of onion (*Allium cepa* L W202). *Can J Plant Sci*. 86: 269-278.
- Silla, A.M., Zygora, P.S.J. et Stewart, G.G. (1984). Characterization of Sch. Castellii mutants with increased productivity of amylase. *Appl Microbiol Biotechnol*. 20:124–128.
- Simoes-Mendes, B. (1984). Purification and characterization of the extracellular amylase of the yeast Sch. Alluvius. *Can J Microbiol* .30:1163–1170.
- Singh, R.S. et Singh, R.P. (2010). Production of Fructooligosaccharides from Inulin by Endoinulinases and Their Prebiotic Potential .*Food Technol Biotechnol*. 48 (4): 435–450.
- Singh, RS., Dhaliwal, R. et Puri, M. (2006). Production of inulinase from *Kluyveromyces marxianus* YS-1 using root extract of *Asparagus racemosus*. *Proc Biochem*. 41:1703–1707.

- Singleton, P. (2005). *Bactériologie : pour la médecine, la biologie et les biotechnologies*, cours, (6^e édn), Dunod.
- Smith, C.K., Coyea, M.R. et Munson, A.D. (2000). Soil carbon, nitrogen and phosphorus stocks and dynamics under disturbed black spruce forest. *Ecol App.* 10:75-78.
- Sonnleitner, B. et Kappeli, O. (1986). Growth of *Saccharomyces cerevisiae* is controlled by its limited respiratory capacity formulation and verification of a hypothesis. *Biotechnol Bioeng.* 28: 927-927.
- Soto-Cruz, O., Favela-Torres, E. et Saucedo-Castaneda, G. (2002). Modeling of growth, lactate consumption, and volatile fatty acid production by *Megasphaera elsdenii* cultivated in minimal and complex media. *Biotechnol Prog.* 18: 193-200.
- Spencer- Martins, I. et Van Uden, N. (1979). Extracellular amylolytic system of the yeast *Lipomyces kononenkoae*. *Eur J Appl Microbiol Biotechnol.* 6:241–250.
- Stepanov, A.I., Afanaseva, V.P., Zaitseva, G.V., Mednokova, A.P et Lupandina, I.B. (1975) Regulation of the biosynthesis of the enzyme of amylolytic acomplex of *Endomycopsis fibuligera*. *Prikl Biohim Mikrobiol.* 11:682–685.
- Subler, S. et Kirsh, K.S. (1998). Spring dynamic of soil carbon, nitrogen and microbial activity in earthwarm middens in no-tillcornfield. *Bio Fert Soils.* 26:243-249.
- Sugawara, E., Hashimoto, S., Sakurai, Y. et Kobayashi, A. (1994). Formation by yeast of the HEMF (4-hydrpxy-2 (or 5)-ethyl-5 (or 2)-methyl-3 (2H)-furanone) aroma components in Miso with aging. *Biosci Biotechnol Biochem.* 58:1134–1135
- Sun, Y. et Cheng, J. (2002). Hydrolysis of lignocellulosic materials for ethanol production: a review. *Bioresour Technol.* 83(1):1–11.
- Suzuki, T., Mori, H., Yamane, T et Shimizu, S. (1985). Automatic supplementation of minerals in fed-batch culture to high cell mass concentration. *Biotechnol Bioeng.* 27: 192-201.
- Teng, Z., Gao, R., Rehim, M. et Wang, K. (2009). Global behaviors of Monod type chemostat model with nutrient recycling and impulsive input. *J Mathel Chemist press.* 3: 123-147.
- Todor, D. et Tsonka, U.D. (2002). Influence of the growth conditions on the resistance of *Saccharomyces cerevisiae*, strain NBIMCC 181, by freeze-drying. *J Cult Collect.* 3:72–77.
- Toivola, A., Yarrow, D., Bosch, E., Dijken, J et Scheffers, A. (1984). Alcoholic fermentation of D- xylose by yeasts. *Appl Envirol Microbiol.* 47(6):1221-1223.
- Tortora, J., Funk, B.F. et Case, C.l. (2003). *Introduction à la microbiologie*, édition de renouveau Pédagogique Inc. Canada.
- Tsujimoto, Y., Watanabe, A., Nakano, K., Watanabe, K., Matsui, H., Tsuji, K., Tsukihara, T et Suzuki, Y. (2003). Gene cloning, expression, and crystallization of a thermostable exo-

inulinase from *Geobacillus stearothermophilus* KP1289. *App Microbiol Biotechnol.* 62: 180–185.

Uhm, T.B., Chung, M.S., Lee, S.H., Gourronc, F., Housen, I., Kim, J.H., Van Beeumen, J., Haye B. et Vandenhante, J. (1999). Purification and characterization of *Aspergillus ficuum* endoinulinase. *Biosci Biotechnol Biochem.* 63:146–151.

UI-Haq, I., Roheena, A., Ashraf, H. et Shah, A.H. (2002). Isolation and screening of fungy for the biosynthesis of α - amylase. *Biotechnol.* 2 (4): 61- 66.

Uzunova, K., Vassileva, A., Ivanova, V., Spasova, D. et Tonkova, A. (2002). Thermostable exo-inulinase production by semicontinuous cultivation of membrane-immobilized *Bacillus* sp.11 cells. *Process Biochem.* 37: 863–868.

Vallet, C., Said, R., Rabiller, C et Martin, M.L. (1996). Natural abundance isotopic fractionation in the fermentation reaction: influence of the nature of the yeast. *Bioorg Chem.* 24:319–330.

Van Laere, A. et Van den Ende, W. (2002). Inulin metabolism in dicots: chicory as a model system. *Plant Cell Environ.* 25:803-813.

Van Urk, H., Schipper, D., Breedveld, G.J., Mak, P.R., Alexander, S.W. et Van Dijken, J.P. (1989). Localization and kinetics of pyruvate-metabolizing enzymes in relation to aerobic alcoholic fermentation in *Saccharomyces cerevisiae* CBS 8066 and *Candida utilis* CBS 621. *Bioch Biophy Acta (BBA) - General Subjects.* 992 (1):78-86.

Vandamme, E. J. et Derycke, D. G. (1983). Microbial inulinases - Fermentation process, properties, and applications. *Advan Appl Microbiol.* 29: 139-176.

Vaughan-Martini, A., Kurtzman, C.P., Meyer Sally, A.N. et O'Neill, B.E. (2005). Two new species in the *Pichia guilliermondii* clade: *Pichia caribbica* sp. nov., the ascosporic state of *Candida fermentati*, and *Candida carpophila* comb. *Yeast Res.* 5: 463–469.

Verduyn, C., Postma, E., Scheffers, W.A. et Van Dijken, J, P. (1992). Effect of benzoic acid on metabolic fluxes in yeasts: A continuous-culture study on the regulation of respiration and alcoholic fermentation. *Yeast.* 8(7):501-517.

Virginie, A.G, Bruno, B., Sylvie, D. et Jean-Marie, S. (2001). Stress effect of ethanol on fermentation kinetics by stationary-phase cells of *Saccharomyces cerevisiae*. *Biotechnol Lett.* 23:677–681.

Vullo, D.L., Coto, C.E. et Siñeriz, F. (1991). Characterization of an inulinase produced by *Bacillus subtilis* 430A, a strain isolated from the rhizosphere of *Vernonia herbacea* (Vell) Rusby. *Appl Environ Microbiol.* 57: 2392–2394.

Walker, J.F., Jenkins, N. (1997)."Wind energy technology". John Wiley et Sons, Inc

Waterhouse, A.L et Chatterton, N.J. (1993). Glossary in fructan terms. In: *Science and technology offructans*, Suzuki M, Chatterton NJ ed: Boca Raton, FL: CRC Press USA. pp: 1-6.

- Westra, M.T. et Kuyvenhoven, S. (2002). L'énergie fait tourner le monde. Source : https://www.efda.org/wpcms/wp-content/uploads/2011/11/EPYW_fr.pdf.
- Wickerham, L.J. (1951). Taxonomy of yeast. Technical Bulletin No. 1029, United States. Departement of Agriculture, Washington, D.C.
- Wilson, R.G., Martin, A.R et Kachman, S.D. (2006). Seasonal changes in carbohydrates in the root of Canada thistle (*Cirsium arvense*) and the disruption of these changes by herbicides. *Weed technol.* 20: 242-248.
- Workman, W.E et Day, D.F. (1983). Purification and properties of the β -fructofuranosidase from *Kluyveromyces fragilis*. *FEBS Lett.* 160: 16–20.
- Xiao, R.M. et Tanida, S. (1989). Purification and characteristics of two exoinulinases from *Chrysosporium pannorum*. *J Ferment Bioeng.* 67: 331–334.
- Yamauchi, H., Akita, O., Obata, T., Amachi, T., Hara, S et Yoshizawa, K. (1989). Production and application of a fruity odor in a solidstate culture of *Neurospora* sp. using pregelatinized polish rice. *Agric Biol Chem.* 53:2881–2888.
- Yu, Z.S et Zhang, H.X. (2004). Ethanol fermentation of acid-hydrolyzed cellulosic pyrolysate with *Saccharomyces cerevisiae*. *Bioresour Technol.* 93:199–204.
- Yuan, S., Zhang, W et Han, M. (2009). Global asymptotic behavior in chemostat-type competition models with delay Nonlinear Analysis. *Real World Applications* 10(3): 1305–1320.
- Yuan, W.J., Zhao, X.Q., Ge, X.M. et Bai, F.W. (2008). Ethanol fermentation with *Kluyveromyces marxianus* from Jerusalem artichoke grown in salina and irrigated with a mixture of seawater and freshwater. *J Appl Microbiol.* 105: 2076-2083.
- Yun, J.W., Kim, D.H., Kim, B.W et Song, S.K. (1997). Production of inulo-oligosaccharides from inulin by immobilized endoinulinase from *Pseudomonas* sp. *J Ferment. Bioeng.* 84: 369– 371.
- Zhang, L., Wang, J., Ohta, Y. et Wang, Y. (2003). Expression of the inulinase gene from *Aspergillus niger* in *Pichia pastoris*. *Proc Biochem.* 38:1209–1212.
- Zhang, T., Chi, Z., Zhao, C.H., Chi, Z.M. et Gong, F. (2010). Bioethanol production from hydrolysates of inulin and the tuber meal of Jerusalem artichoke by *Saccharomyces* sp. W0, *Bioresour Technol.* 101: 8166–8170.